

L Number	Hits	Search Text	DB	Time stamp
1	22	"4740746"	USPAT; US-PGPUB	2004/02/06 19:36
2	2	"6191601"	USPAT; US-PGPUB	2004/02/06 19:58
3	10	"5498965"	USPAT; US-PGPUB	2004/02/06 20:06
4	7	"5498964"	USPAT; US-PGPUB	2004/02/06 20:25
5	7	"5063353"	USPAT; US-PGPUB	2004/02/06 20:25
6	496	tdr and automatic	USPAT; US-PGPUB	2004/02/06 20:25
8	4	tdr and automatic and probe with arm	USPAT; US-PGPUB	2004/02/06 20:25
7	12	tdr and automatic and probe with art	USPAT; US-PGPUB	2004/02/06 20:51
10	44	TDR and impedance adj match	USPAT; US-PGPUB	2004/02/06 20:57
11	5	TDR and impedance with match with connector	USPAT; US-PGPUB	2004/02/06 20:55
-	0	robotic adj arm and domain adj reflectometry and high adj frequency adj probe	USPAT; US-PGPUB	2004/01/25 12:39
-	0	(robotic adj arm) and (domain adj reflectometry) and (high adj frequency adj probe)	USPAT; US-PGPUB	2002/02/06 13:01
-	1	(robotic adj arm) and (domain adj reflectometry)	USPAT; US-PGPUB	2002/02/06 13:00
-	0	(domain adj reflectometry) and (high adj frequency adj probe)	USPAT; US-PGPUB	2002/02/06 13:18
-	0	(domain same reflectometry) and (high adj frequency adj probe)	USPAT; US-PGPUB	2002/02/06 13:01
-	0	reflectometry and (high adj frequency adj probe)	USPAT; US-PGPUB	2002/02/06 13:02
-	0	robotic adj domain adj reflectometry and high adj frequency adj probe	USPAT; US-PGPUB	2002/02/06 13:06
-	0	robotic adj domain adj reflectometry and probe	USPAT; US-PGPUB	2002/02/06 13:03
-	335	reflectometry and probe	USPAT; US-PGPUB	2002/02/06 13:03
-	45	(reflectometry and probe).clm,ab,ti.	USPAT; US-PGPUB	2002/02/06 13:21
-	12	((reflectometry and probe).clm,ab,ti.) and high adj frequency	USPAT; US-PGPUB	2002/02/06 13:05
-	0	robotic adj domain adj reflectometry	USPAT; US-PGPUB	2002/02/06 13:06
-	22	(reflectometry and probe).clm,ab,ti. and calibration	USPAT; US-PGPUB	2002/02/06 13:15
-	6	(reflectometry and probe).clm,ab,ti. and traces	USPAT; US-PGPUB	2002/02/06 13:10
-	0	(reflectometry and probe).clm,ab,ti. and traces and arm	USPAT; US-PGPUB	2002/02/06 13:10
-	11	(reflectometry and probe).clm,ab,ti. and arm	USPAT; US-PGPUB	2002/02/06 13:12
-	0	(reflectometry and probe).clm,ab,ti. and robotic adj arm	USPAT; US-PGPUB	2002/02/06 13:12
-	0	(reflectometry and probe).clm,ab,ti. and arm and high adj frequency	USPAT; US-PGPUB	2002/02/06 13:13
-	12	(reflectometry and probe).clm,ab,ti. and high adj frequency	USPAT; US-PGPUB	2002/02/21 17:58
-	0	(reflectometry and probe).clm,ab,ti. and high adj frequency and traces	USPAT; US-PGPUB	2002/02/06 13:14
-	0	(reflectometry and probe).clm,ab,ti. and calibration and verification	USPAT; US-PGPUB	2002/02/06 13:15
-	22	(reflectometry and probe).clm,ab,ti. and calibration	USPAT; US-PGPUB	2002/02/06 13:16
-	0	(reflectometry and probe).clm,ab,ti. and calibration adj station	USPAT; US-PGPUB	2002/02/06 13:16

-	0	(reflectometry and probe).clm,ab,ti. and varification adj station	USPAT; US-PGPUB	2002/02/06 13:16
-	1	(reflectometry and probe).clm,ab,ti. and retracting	USPAT; US-PGPUB	2002/02/06 13:16
-	0	differential adj domain adj reflectometry	USPAT; US-PGPUB	2002/02/06 13:18
-	10	differential same domain same reflectometry	USPAT; US-PGPUB	2002/02/06 13:19
-	3	differential with domain same reflectometry	USPAT; US-PGPUB	2002/02/06 13:19
-	24	(reflectometry and probe).clm,ab,ti. and impedance	USPAT; US-PGPUB	2002/02/06 13:22
-	5	((reflectometry and probe).clm,ab,ti. and impedance) not ((reflectometry and probe).clm,ab,ti. and impedance and delay)	USPAT; US-PGPUB	2002/02/06 13:22
-	19	(reflectometry and probe).clm,ab,ti. and impedance and delay	USPAT; US-PGPUB	2002/02/06 13:23
-	120	324/643.ccls.	USPAT; US-PGPUB	2002/02/21 18:00
-	0	324/643.ccls. and reflectometry adj testing	USPAT; US-PGPUB	2002/02/21 18:00
-	9	reflectometry adj testing	USPAT; US-PGPUB	2002/02/21 18:03
-	9	reflectometry near testing	USPAT; US-PGPUB	2002/02/21 18:07
-	20	reflectometry near3 testing	USPAT; US-PGPUB	2002/02/21 18:03
-	1	(reflectometry near3 testing).ab.	USPAT; US-PGPUB	2002/02/21 18:04
-	1	(reflectometry near3 testing).ti.	USPAT; US-PGPUB	2002/02/21 18:05
-	2	domain near reflectometry near instrumentation	USPAT; US-PGPUB	2002/02/21 18:11
-	3	("4991915"   "5059914"   "5554936").PN.	USPAT; US-PGPUB	2002/02/21 18:09
-	2	5781019.URPN.	USPAT; US-PGPUB	2002/02/21 18:10
-	4	domain near reflectometry near instrument	USPAT; US-PGPUB	2002/02/21 18:13
-	2	domain near reflectometry near instrument and high near frequency	USPAT; US-PGPUB	2002/02/21 18:19
-	0	differential near domain near reflectometry near instrument and high near frequency	USPAT; US-PGPUB	2002/02/21 18:20
-	0	differential near domain near reflectometry	USPAT; US-PGPUB	2002/02/21 18:20
-	12	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526"))).PN.	USPAT; US-PGPUB	2002/02/21 18:39
-	1	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526"))).PN.) and reflectometry	USPAT; US-PGPUB	2002/02/21 18:39
-	3	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526"))).PN.) and high near frequency	USPAT; US-PGPUB	2002/02/21 18:40
-	4	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909"))).PN.) and high near frequency	USPAT; US-PGPUB	2002/02/21 18:51

--	13	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909")).PN.	USPAT; US-PGPUB	2002/02/21 18:51
-	1	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909")).PN.) and reflectometry	USPAT; US-PGPUB	2002/02/21 18:51
-	446	swart.in.	EPO; JPO; DERWENT	2002/02/21 18:43
-	2	swart.in. and time near domain	EPO; JPO; DERWENT	2002/02/21 18:46
-	314	time near domain near reflectometry	EPO; JPO; DERWENT	2002/02/21 18:46
-	0	time near domain near reflectometry near tester	EPO; JPO; DERWENT	2002/02/21 18:46
-	14	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978")).PN.	USPAT; US-PGPUB	2002/02/21 18:53
-	1	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978")).PN.) and reflectometry	USPAT; US-PGPUB	2002/02/21 18:51
-	4	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978")).PN.) and high near frequency	USPAT; US-PGPUB	2002/02/21 18:52
-	18	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978") or ("5068614") or ("5781019") or ("6247362") or ("5586054") or ("6051978")).PN.	USPAT; US-PGPUB	2002/02/24 14:31
-	5	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978") or ("5068614") or ("5781019") or ("6247362") or ("5586054") or ("6051978")).PN.) and pitch	USPAT; US-PGPUB	2002/02/21 19:02
-	18	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978") or ("5068614") or ("5781019") or ("6247362") or ("5586054") or ("6051978")).PN.	USPAT; US-PGPUB	2002/02/24 14:53
-	1	("6051978").PN.	USPAT; US-PGPUB	2002/02/24 14:31

-	21	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978") or ("5068614") or ("5781019") or ("6247362") or ("5586054") or ("6051978") or ("4881863") or ("5043901") or ("5394348") or ("6024526"))).PN.	USPAT; US-PGPUB	2002/02/25 13:11
-	0	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978") or ("5068614") or ("5781019") or ("6247362") or ("5586054") or ("6051978") or ("4881863") or ("5043901") or ("5394348") or ("6024526"))).PN.) and adjustable near pitch	USPAT; US-PGPUB	2002/02/24 14:57
-	5	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978") or ("5068614") or ("5781019") or ("6247362") or ("5586054") or ("6051978") or ("4881863") or ("5043901") or ("5394348") or ("6024526"))).PN.) and pitch	USPAT; US-PGPUB	2002/02/24 15:12
-	1	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978") or ("5068614") or ("5781019") or ("6247362") or ("5586054") or ("6051978") or ("4881863") or ("5043901") or ("5394348") or ("6024526"))).PN.) and pitch) and high near frequency	USPAT; US-PGPUB	2002/02/24 15:18
-	2	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978") or ("5068614") or ("5781019") or ("6247362") or ("5586054") or ("6051978") or ("4881863") or ("5043901") or ("5394348") or ("6024526"))).PN.) and calibration	USPAT; US-PGPUB	2002/02/24 15:21
-	3	"5781019"	USPAT; US-PGPUB	2002/02/24 15:21
-	21	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978") or ("5068614") or ("5781019") or ("6247362") or ("5586054") or ("6051978") or ("4881863") or ("5043901") or ("5394348") or ("6024526"))).PN.	USPAT; US-PGPUB	2002/02/25 15:31

-	4	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978") or ("5068614") or ("5781019") or ("6247362") or ("5586054") or ("6051978") or ("4881863") or ("5043901") or ("5394348") or ("6024526"))).PN.) and ohms	USPAT; US-PGPUB	2002/02/25 13:23
-	427	probe near2 changing	USPAT; US-PGPUB	2002/02/25 13:23
-	178	probe near changing	USPAT; US-PGPUB	2002/02/25 13:24
-	0	probe near changing near assembly and 324/\$.ccls.	USPAT; US-PGPUB	2002/02/25 13:24
-	80	probe near changing and assembly	USPAT; US-PGPUB	2002/02/25 13:24
-	1	probe near changing near assembly	USPAT; US-PGPUB	2002/02/25 13:24
-	55	probe near changing and 324/\$.ccls.	USPAT; US-PGPUB	2002/02/25 13:44
-	1	5471148.pn.	USPAT; US-PGPUB	2002/02/25 14:51
-	21	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978") or ("5068614") or ("5781019") or ("6247362") or ("5586054") or ("6051978") or ("4881863") or ("5043901") or ("5394348") or ("6024526"))).PN.	USPAT; US-PGPUB	2002/02/25 15:31
-	2	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978") or ("5068614") or ("5781019") or ("6247362") or ("5586054") or ("6051978") or ("4881863") or ("5043901") or ("5394348") or ("6024526"))).PN.) and calibration	USPAT; US-PGPUB	2002/02/25 15:32
-	1	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978") or ("5068614") or ("5781019") or ("6247362") or ("5586054") or ("6051978") or ("4881863") or ("5043901") or ("5394348") or ("6024526"))).PN.) and nist	USPAT; US-PGPUB	2002/02/25 15:33
-	0	((("4593820") or ("4628464") or ("5105147") or ("5469064") or ("5498964") or ("5498965") or ("5631856") or ("5696450") or ("5781021") or ("5844412") or ("6008636") or ("6024526") or ("5994909") or ("6051978") or ("5068614") or ("5781019") or ("6247362") or ("5586054") or ("6051978") or ("4881863") or ("5043901") or ("5394348") or ("6024526"))).PN.) and airline	USPAT; US-PGPUB	2002/02/25 15:34
-	0	calibrated near2 airline and TDR	USPAT; US-PGPUB	2002/02/25 15:35
-	0	calibrated near2 airline	USPAT; US-PGPUB	2002/02/25 15:35
-	2	calibration near2 airline	USPAT; US-PGPUB	2002/02/25 15:35

.-	180	(TDR or reflectometry) and standard adj deviation	USPAT; US-PGPUB	2002/02/25 15:49
-	20	((TDR or reflectometry) and standard adj deviation) and ohms	USPAT; US-PGPUB	2002/02/25 15:41
-	17	(TDR or reflectometry) and (standard adj deviation) and feet	USPAT; US-PGPUB	2002/02/25 16:02
-	180	(TDR or reflectometry) and (standard adj deviation)	USPAT; US-PGPUB	2002/02/25 16:02
-	172	(TDR or reflectometry) and impedances same ohms	USPAT; US-PGPUB	2002/02/25 16:03
-	34	(TDR or reflectometry) and impedances same ohms same less	USPAT; US-PGPUB	2002/02/25 16:18
-	3	(TDR or reflectometry) and impedances same ohms near less	USPAT; US-PGPUB	2002/02/25 16:03
-	399	(TDR or reflectometry) and inches	USPAT; US-PGPUB	2002/02/25 16:19
-	6	(TDR or reflectometry) and "36" adj inches	USPAT; US-PGPUB	2002/02/26 10:56
-	3	(TDR or reflectometry) and impedance and delay and dielectric	USPAT; US-PGPUB	2002/02/25 16:48
-	34	(TDR or reflectometry) and calculates same dielectric	USPAT; US-PGPUB	2002/02/25 16:48
-	26	(TDR or reflectometry) and calculates same dielectric adj constant	USPAT; US-PGPUB	2002/02/25 16:48
-	16	(TDR or reflectometry) and calculates same dielectric adj constant and impedance	USPAT; US-PGPUB	2002/02/25 16:49
-	11	(TDR or reflectometry) and calculates same dielectric adj constant and impedance and delay	USPAT; US-PGPUB	2002/02/25 16:49
-	4	(TDR or reflectometry) and calculates same dielectric adj constant and impedance and delay and (record or computer)	USPAT; US-PGPUB	2002/02/25 16:49
-	34	differential near domain	USPAT; US-PGPUB	2002/02/25 17:22
-	8	air adj line same ("28" or "50") near ohms	USPAT; US-PGPUB	2002/02/25 18:06
-	2	air adj line same ("28" or "50") near ohms and TDR	USPAT; US-PGPUB	2002/02/25 18:06
-	298	(TDR or reflectometry) and length and trace	USPAT; US-PGPUB	2002/02/26 10:57
-	85	(TDR or reflectometry) and length same trace	USPAT; US-PGPUB	2002/02/26 10:57
-	20	(TDR or reflectometry) and length same trace and 324/\$.ccls.	USPAT; US-PGPUB	2002/02/26 11:00
-	4	(TDR or reflectometry) and length same trace and 324/\$.ccls. and feet	USPAT; US-PGPUB	2002/02/26 11:00
-	0	differential near2 tdr	USOCR	2003/04/25 08:52
-	11	differential near2 tdr	USPAT; US-PGPUB	2003/04/25 08:52
-	4	differential near2 tdr	EPO; JPO; DERWENT; IBM_TDB	2003/04/25 08:53
-	2	TDR and high adj frequency adj probe	USPAT; US-PGPUB	2004/01/25 12:41
-	12	time adj domain and high adj frequency adj probe	USPAT; US-PGPUB	2004/01/25 13:23
-	19	("5936237") or ("5408148") or ("5479610") or ("6501278") or ("4152642") or ("3703604") or ("5972715") or ("5107206") or ("5066907") or ("5471148") or ("6051978") or ("6024526") or ("5631856") or ("5781021") or ("5068614") or ("5586054") or ("6247362") or ("5479610") or ("5083086") or ("5781019").PN.	USPAT; US-PGPUB	2004/01/25 12:56

-	11	((("5936237") or ("5408148") or ("5479610") or ("6501278") or ("4152642") or ("3703604") or ("5972715") or ("5107206") or ("5066907") or ("5471148") or ("6051978") or ("6024526") or ("5631856") or ("5781021") or ("5068614") or ("5586054") or ("6247362") or ("5479610") or ("5083086") or ("5781019")).PN.) and time adj domain	USPAT; US-PGPUB	2004/01/25 12:57
-	7	((("5936237") or ("5408148") or ("5479610") or ("6501278") or ("4152642") or ("3703604") or ("5972715") or ("5107206") or ("5066907") or ("5471148") or ("6051978") or ("6024526") or ("5631856") or ("5781021") or ("5068614") or ("5586054") or ("6247362") or ("5479610") or ("5083086") or ("5781019")).PN.) and time adj domain) and high adj frequen\$4	USPAT; US-PGPUB	2004/01/25 13:05
-	4	((("4740746") or ("4138643") or ("4739259") or ("5291129")).PN.	USPAT; US-PGPUB	2004/01/25 13:15
-	1	((("4740746") or ("4138643") or ("4739259") or ("5291129")).PN.) and robot	USPAT; US-PGPUB	2004/01/25 13:08
-	1	((("4740746") or ("4138643") or ("4739259") or ("5291129")).PN.) and robot and time	USPAT; US-PGPUB	2004/01/25 13:09
-	0	((("4740746") or ("4138643") or ("4739259") or ("5291129")).PN.) and robot and time and domain	USPAT; US-PGPUB	2004/01/25 13:09
-	0	((("4740746") or ("4138643") or ("4739259") or ("5291129")).PN.) and robot and time and refle\$5	USPAT; US-PGPUB	2004/01/25 13:09
-	5	((("4740746") or ("4138643") or ("4739259") or ("5291129") or ("5982187")).PN.	USPAT; US-PGPUB	2004/01/25 13:15
-	1	((("4740746") or ("4138643") or ("4739259") or ("5291129") or ("5982187")).PN.) and robot	USPAT; US-PGPUB	2004/01/25 13:16
-	0	((("4740746") or ("4138643") or ("4739259") or ("5291129") or ("5982187")).PN.) and impeda	USPAT; US-PGPUB	2004/01/25 13:16
-	4	((("4740746") or ("4138643") or ("4739259") or ("5291129") or ("5982187")).PN.) and imped\$4	USPAT; US-PGPUB	2004/01/25 13:17
-	1117	time adj domain and high adj frequency and trace	USPAT; US-PGPUB	2004/01/25 13:23
-	0	time adj domain and high adj frequency and trace same inpedance	USPAT; US-PGPUB	2004/01/25 13:24
-	109	time adj domain and high adj frequency and trace same impedance	USPAT; US-PGPUB	2004/01/25 13:24
-	3	time adj domain and high adj frequency and trace same impedance and pwb	USPAT; US-PGPUB	2004/01/25 13:24
-	36	time adj domain and high adj frequency and trace same impedance same board	USPAT; US-PGPUB	2004/01/25 13:50
-	6	("4931726"   "4975638"   "5663655"   "5729146"   "5818248"   "6005402").PN.	USPAT	2004/01/25 13:34
-	1	6191601.URPN.	USPAT	2004/01/25 13:34
-	10	"5498965"	USPAT; US-PGPUB	2004/01/25 13:52
-	7	"5498964"	USPAT; US-PGPUB	2004/01/25 13:53
-	7	"5291129"	USPAT; US-PGPUB	2004/01/25 13:53